




Natural raw mouldings, primed internal mouldings and treated, primed external cladding.





FINGER JOINT CLEAR GRADE MOULDINGS.

Araucaria NATURAL range is a raw finish expertly profiled to ensure a smooth even texture and perfect finish.

ARCHITRAVES AND SKIRTING

SUPERIOR WOOD PROFILES



QUAD 11 x 11 | 18 x 18



PENCIL ROUND 3mm 1 Edge 42 | 68 | 92 x 11



D MOULD 18 | 31 x 8



CLASSIC 42 | 68 x 11



SCOTIA 18 x 18 | 31 x 31



CORNICE CURVED 42 | 68 x 16



EXTERIOR CORNER 18 x 18 | 31 x 31



CORNICE FLAT 42 | 68 x 16

NO NEED TO BUY PRIMED!

Araucaria Natural range has long, straight fibres delivering a superior paint finish.



HALF SPLAY 25mm 42 | 68 | 92 x 11 and 68 | 92 | 140 x 18



HALF SPLAY 33mm 42 | 68 x 11 and 68 | 92 | 140 x 18



3 STEP 42 | 68 | 92 x 11



COLONIAL 1 42 | 68 | 92 x 11



COLONIAL 2 42 | 68 | 92 x 11



2 STEP 42 | 68 | 92 x 11



SPLAYED | BEVEL 42 | 68 | 92 x 11



BULLNOSE 42 | 68 | 92 x 11



SPLAYED | BEVEL 42 | 68 | 92 x 18



BULLNOSE 42 | 68 | 92 x 18



LAMBS TONGUE 68 | 92 | 140 x 18



FEDERATION 68 | 92 | 140 x 18



HERITAGE 68 | 90 | 140 x 18



PENCIL ROUND 6mm 1 edge 42 | 68 | 92 x 18



REBATED DOOR JAMBS Rebate 38 x 12 92 | 112 x 31



PENCIL ROUND 1.5MM 92 | 95 | 98 | 112 | 116 | 140 | 163 | 187 x 18



DAR 42 | 68 | 90 x 42



31 | 42 | 68 | 92 x 31




18 | 31 | 42 | 68 | 93 | 112 | 116 | 140 x 18



11 | 18 | 31 | 42 | 68 | 92 | 116 | 140 x 11

ARCHITRAVES AND SKIRTING



42 | 68 | 93 x 11

120 x 31

140 | 93 | 68 x 19

140 x 19


PLEASE NOTE: Some profiles require a set up charge and lead times apply. Please refer to your Superior Wood Representative.

86 x 18

90 x 18

140 | 93 | 68 x 19

ARCHITRAVES AND SKIRTING



112 x 19


140 x 19


140 | 187 x 19

68 | 93 x 19


TRADITIONAL PROFILES

CORNICES





68 | 93 x 19





BELT RAILS



TYPE S2 93 x 31



93 x 19

190 x 31











PICTURE RAILS, DADOS AND NOSING



TYPF 1 58 x 31



TYPE SM63 50 x 24



TYPE Q1 58 x 40



TYPE Q3 58 x 28



TYPE P 68 x 31



TYPE PR81 63 x 25



TYPE L 60 x 30



TYPE K 47 x 32



42 x 19



TYPE Q2 40 x 65



TYPE J 42 | 68 | 93 x 31





PICTURE FRAME MOULDS



TYPE PM01 64 x 34



TYPE PM16 TYPE PM17 68 x 22 68 x 19



TYPE PM03 65 x 20

TYPE PM10

32 x 19



















TYPE PM13

42 x 19



TYPE PM14 42 x 19

TYPE PM07

93 x 19

TYPE PM08

90 x 36

42 x 19





TYPE PM15 TYPE SM64 42 x 25

POST MOULDS





TYPE A

93 x 68





TYPE A1 31 x 19



TYPE A2 31 x 19

68 x 42

TYPE A

INLAYS AND TRIMS












TYPE DM D.MOULD

11 | 19 | 31 x 9



TYPE R SCOTIA 19 x 19 | 31 x 31 | 42 x 42



11 x 11 | 19 x 19 | 25 x 25 | 31 x 31 | 42 x 42











TYPE V ELECTRIC MOULD 31 | 35 | 42 x 19

TYPE SM65 42 x 13

TYPE SM66 19 x 10

TYPE SM67 34 x 13

TYPE SM68 36 x 23 44 x 20

TYPE Z CHAMFER STOP 25 x 25



TYPE N 55 x 31



TYPE 0 0V0L0 11 x 11 | 19 x 19 | 31 x 31



TYPE 0 0V0L0 36 x 23



TYPE U INLAY 31 | 36 x 15 | 28 x 11




TYPE X EXTERNAL CORNER 31 x 31



BEADED SCOTIA 42 x 31


ARCHITRAVE BLOCK

42 | 68 | 93 x 15 42 | 68 | 93 | 116 | 140 x 22



PLINTH BLOCK

93 | 116 | 140 x 31





FINGER JOINT, WHITE PRIMED INTERNAL MOULDINGS.

The Araucaria Pearl Range is a white primed internal moulding range designed to save you preparation time and painting costs.



ABOUT THE PRODUCT

Araucaria PEARL has a dual coat priming system with a superior water resistant priming and undercoat system that protects timber and reduces moisture uptake than conventional dual coat systems.

Utilising the latest in UV coat systems, our Araucaria Pearl range is fully envelope sealed.

Incorporating Australian clear plantation grown Araucaria timber and finger jointed to gun barrel straight 5.4m long lengths.

It is then precision machined to both traditional and contemporary profiles. Then the Araucaria PEARL dual coating system is applied, ready for the final coat painting system on site!

ARAUCARIA PEARL MOULDINGS SIZE CHART

Available in the following sizes:

SIZE	DAR	PENCIL Round	SPLAYED	BULLNOSE	PENCIL Round 1 edge
31 x 11	~				
42 x 11	~		~	~	~
68 x 11	~		~	~	~
92 x 11	~		~	~	~
42 x 18	~				
68 x 18	~				
92 x 18		~			
112 x 18		~			
140 x 18		~			

ABOUT THE RANGE


Available in decorative and fit-out profiles:

- Skirting
- Architraves
- Dressed All Round (DAR)
- Dressed All Round PR4 (Pencil Round on 4 corners)
- Internal Door jambs
- · Window Reveals
- Trim

FEATURES AND BENEFITS

With the Araucaria PEARL range you can be confident that the choice of mouldings will meet your project requirements.

- · White Primed to readily accept finishing coats
- Dual Coat Premium finish, ready for top coating following installation;
- Manufactured from sustainable plantation Araucaria
- · Available in 5.4 metre lengths
- · Contemporary and traditional profiles available
- · Commercial or residential application ready





ARAUCARIA EXTERNAL TIMBER CLADDING.

The Araucaria Gold Cladding range provides a water resistant, undercoat system, providing a long term building solution for your construction.

ABOUT THE PRODUCT

The Superior Wood Araucaria Cladding range is a water resistant primed, timber cladding that protects the timber and reduces water loss and uptake.

Our Araucaria Cladding range is fully envelope sealed and incorporates Australian clear plantation grown Araucaria timber, finger jointed with an external, structural glue to gun barrel straight 5.4m long lengths.

It is then precision machined to both traditional and contemporary profiles, LOSP Treated to a hazard level H3 for above ground protection from rot, fungal decay and termites. Then the Araucaria Cladding coating system is applied, ready for the final coat painting system on site!

- · An acrylic coat that delivers a better seal ensuring less timber movement caused by moisture loss/uptake.
- Manufactured from sustainable, Australian plantation timber.
- · Treated against rot, fungal and termite attack with the latest in H3 LOSP preservation technology.
- Excellent water and scratch resistance.
- Hard wearing.
- · Environmentally friendly.

ARAUCARIA CLADDING SIZE CHART


Available in the following sizes:

COVER SIZE	PROFILE	GRADE	LENGTH	PRIMING
77 x 19	Chamfer	H3 FJ Clear	5.4m	~
122 x 19	Chamfer	H3 FJ Clear	5.4m	~
133 x 19	Chamfer	H3 FJ Clear	5.4m	~
146 x 19	Chamfer	H3 FJ Clear	5.4m	~
180 x 19	Chamfer	H3 FJ Clear	5.4m	~
170 x 22 x 6	Weatherboard	H3 FJ Clear	5.4m	~
136 x 21	Rebated Weatherboard	H3 FJ Clear	5.4m	~
170 x 22	Knotty Weatherboard	H3 Knotty	5.4m	

NOTE: Chamfer sizes shown are actual cover widths of the boards. Weather boards sizes shown are nominal sizes. All finger joint material 5.4m lengths.

PROFILES

Araucaria Cladding range of profiles and sizes.





SUPERIOR WOOD INTERNAL LININGS AND TRADITIONAL FLOORING

Superior Wood Range of internal linings and flooring are available in a range of sizes and profiles to compliment any building project - whether old or new!


ABOUT THE PRODUCT


Internal linings are crafted from finger jointed Australian Araucaria and are available in 5.4m lengths or can be manufactured to custom lengths.


Our traditional flooring profiles are manufactured from either a clear one face grade Araucaria or a knotty grade Araucaria.


LINING PROFILES

The panelling range of profiles.









^{*} Please Note - These are stocked lines. Other profiles and sizes made to order.


INTERNAL PANELLING AVAILABLE SIZES

SIZE	TYPE BEADED	TYPE VJ
89 x 11	~	~
102 x 11	~	~
140 x 11	~	~
89 x 21	~	~
102 x 21	~	*
140 x 21	~	~
152 x 21	~	~

NOTES: * 102 x 21 Finger Joint VJ available ex stock in 3.3 | 3.6 | 5.4 | 6.0 and 6.6m lengths with other lengths available to order.

FLOORING PROFILES

The flooring range of profiles.



FLOORING AVAILABLE SIZES

SIZE	TIGHT KNOT	CLEAR ONE FACE
89 x 21	~	~
102 x 21	~	~
140 x 21	~	~
152 x 21	~	~







Whether for structural integrity or decorative purposes, Araucaria timber offers exceptional quality and versatility, making it an excellent choice for various building needs.

MGP STRUCTURAL

Superior Araucaria MGP make a cost effective floor joist for use in domestic building applications. Lightweight and available in long lengths Araucaria MGP has an excellent strength to weight ratio making it a natural choice in many structural building applications.

Superior Araucaria MGP is a SD5 strength group and JD4 joint group softwood that has been mechanically stress graded to ensure the structural integrity for the application and spans specified.

Araucaria MGP lengths available are: 3.0 | 3.6 | 4.2 | 4.8 and 5.4

Standard sizes available are:

35mm x 90 | 140 | 190mm

45mm x 90 | 140 | 190 mm

All MGP products are supplied kiln dried

BATTENS

Battens are manufactured form Araucaria feature grade and are packed in convenient handyman bundles to allow easy handling. Battens are used in applications such as ceiling battens, job profiling and furniture carcass.

The sizes available are:

50mm x 38mm GOS (Green off saw)

47mm x 35mm gauged (supplied kiln dried)

G.O.S FEATURE GRADE

This grade may contain all the natural characteristics of the tree. These characteristics may include knots, pith, voids and natural discolouration.

G.O.S Feature Grade is ideally suited for end use applications such as furniture carcass manufacture, panelling and speciality box manufacture where the natural character of the grade is a feature in the end product.

G.O.S Feature Grade is available in set length packs 4.8 and 5,4m long.

Available in the following sizes:

15mm x 100mm

25mm x 100, 150, 200

33mm x 100mm | 150mm | 200mm

38mm x 100 | 150 | 200mm

50mm x 100 | 150 | 200mm





DID YOU KNOW:

- Araucaria has long, straight and thin fibres that give a finer grain, smoother finish, higher strength, easier machining and better staining, painting, nailing, bonding and bending abilities compared to Pinus specie.
- Araucaria is the only Australian native successfully grown in large scale plantations
- Araucaria through
 Superior Wood Pty Ltd is
 FSC® Certified and sources all
 araucaria timber locally from
 Internationally recognised best
 practice managed plantations.

Araucaria Green CCA Treated Landscaping Products

CODE	PRODUCT	PACK SIZE
	75 x 38 x 4.8 GOS Araucaria Fence Rail H3	90
AGS1075038RB4800		
AGS1075038RB5400	75 x 38 x 5.4 GOS Araucaria Fence Rail H3	90
AGSI100038RB4800	100 x 38 x 4.8 GOS Araucaria Fence Rail H3	70
AGSI100038RB5400	100 x 38 x 5.4 GOS Araucaria Fence Rail H3	70
AGSI100015RB4800	100 x 15 x 4.8 GOS Araucaria Fence Rail H4	330
AGSI100025RB1800	100 x 25 x 1.8 GOS Araucaria Fence Rail H3	200
AGSI100025RB4800	100 x 25 x 4.8 GOS Araucaria Fence Rail H4	70
AGSI100025RB5400	100 x 25 x 5.4 GOS Araucaria Fence Rail H4	70
AGSI100050RB4800	100 x 50 x 4.8 GOS Araucaria Fence Rail H3	70
AGSI150025RB4800	150 x 25 x 4.8 GOS Araucaria Fence Rail H4	75
AGSI150025RB5400	150 x 25 x 5.4 GOS Araucaria Fence Rail H4	75
AGSI075015BP1200	75 x 15 x 1.2 Square Top Araucaria Paling H3	420
AGSI075015BP1500	75 x 15 x 1.5 Square Top Araucaria Paling H3	420
AGSI075015BP1800	75 x 15 x 1.8 Square Top Araucaria Paling H3	420
AGSI075015BP2100	75 x 15 x 2.1 Square Top Araucaria Paling H3	420
AGSI075015BP2400	75 x 15 x 2.4 Square Top Araucaria Paling H3	420
AGSI075015BP3000	75 x 15 x 3.0 Square Top Araucaria Paling H3	420
AGSI100015BP1200	100 x 15 x 1.2 Square Top Araucaria Paling H3	330
AGSI100015BP1500	100 x 15 x 1.5 Square Top Araucaria Paling H3	330
AGSI100015BP1800	100 x 15 x 1.8 Square Top Araucaria Paling H3	330
AGSI100015BP2100	100 x 15 x 2.1 Square Top Araucaria Paling H3	330
AGSI100015BP2400	100 x 15 x 2.4 Square Top Araucaria Paling H3	330
AGSI100015BP3000	100 x 15 x 3.0 Square Top Araucaria Paling H3	330
AGSI100075RB1800	100 x 75 x 1.8 Araucaria Fence Post H4	28
AGSI100075RB2400	100 x 75 x 2.4 Araucaria Fence Post H4	28
AGSI100075RB3000	100 x 75 x 3.0 Araucaria Fence Post H4	28
AGSI1000100RB1800	100 x 100 x 1.8 Araucaria Fence Post H4	21
AGSI1000100RB2400	100 x 100 x 2.4 Araucaria Fence Post H4	21
AGSI1000100RB2700	100 x 100 x 2.7 Araucaria Fence Post H4	21
AGSI1000100RB3000	100 x 100 x 3.0 Araucaria Fence Post H4	21
AGSI200050SL1800	200 x 50 x 1.8 Araucaria Sawn Sleeper H4	48
AGSI200050SL2400	200 x 50 x 2.4 Araucaria Sawn Sleeper H4	48
AGSI200050SL3000	200 x 50 x 3.0 Araucaria Sawn Sleeper H4	48
AGSI200050SL3600	200 x 50 x 3.6 Araucaria Sawn Sleeper H4	48
AGSI200050SL4800	200 x 50 x 4.8 Araucaria Sawn Sleeper H4	48
AGSI200075SL2400	200 x 75 x 2.4 Araucaria Sawn Sleeper H4	36
AGSI200075SL3000	200 x 75 x 3.0 Araucaria Sawn Sleeper H4	36
	'	



Welcome to a place where timeless beauty meets sustainability.

Where timber embodies nature's finest qualities and a rich heritage spanning generations.

Grown exactly where they are meant to be - deep within Queensland's Sunshine Coast Hinterland - our australian araucaria forests reflect a deep connection to the land.

Decades of care goes into our slow growth approach putting the planet and the quality of our Araucaria first.

Each piece of our precious timber tells a story of our unwavering commitment to the world we live in. With every tree we harvest, we plant the seeds of tomorrow's forests, nurturing new growth that will stand tall for generations.

That is why you won't find timber like ours anywhere else. As distinctively beautiful as it is unique, our australian araucaria timber welcomes you with an unparalleled artistry. Each piece is a master piece of nature, inviting warmth and elegance into your space like nothing else can.



The mark of responsible forestry





This is a premium grade. Each piece of No.1 Clears is completely free of defects on all sides except needle trace and the occasional surface blemish that can be machined out.

This grade is suitable for high quality end use applications such as furniture manufacture, internal mouldings, panelling and joinery where a natural clear finish is required.

Available in the following sizes:

No. 1 Clears are available in set length packs or as short length components cut to customer's requirements.

23.5mm x 100 | 125 | 150 | 200

25mm x 100 | 125 | 150 | 200

33mm x 100 | 150 | 200

38mm x 100 | 150 | 200

50mm x 100 | 150 | 200

No.1 Clears are supplied kiln dried.



Australian Owned. Australian Made. Australian Plantation Timber.





This is a very high grade of Araucaria. Each piece of No.2 Clears is free of defects on one face and two edges, except for minor blemishes that can be machined out. The reverse face may contain any defects or a combination of defects.

This grade is suitable for high end use applications such as furniture manufacture, internal mouldings, panelling and joinery where a clean and natural finish on one face is required.

Available in the following sizes:

No. 2 Clears are available in set length packs.

23.5mm x 100 | 125 | 150 | 200

25mm x 100 | 125 | 150 | 200

33mm x 100 | 150 | 200

38mm x 100 | 150 | 200

50mm x 100 | 150 | 200

No.2 Clears are supplied kiln dried.



Australian Owned. Australian Made. Australian Plantation Timber.





This is a premium grade. Each piece of No.1 Clears is completely free of defects on all sides except needle trace and the occasional surface blemish that can be machined out.

This grade is suitable for high quality end use applications such as furniture manufacture and joinery where a natural clear finish is required.

Available in the following sizes:

Components are available in set length packs or as short length components cut to customer's requirements.

23.5mm x 100 | 125 | 150 | 200

25mm x 100 | 125 | 150 | 200

33mm x 100 | 150 | 200

38mm x 100 | 150 | 200

50mm x 100 | 150 | 200

No.1 Clears are supplied kiln dried.

Australian Owned, Australian Made, Australian Plantation Timber,





Each piece of this grade is a No.1 Clear grade, produced by joining short clears with a finger joint bonded with cross-linked PVA glue. Each piece of fingerjointed clears is free of defects except minor blemishes that can be machined out.

This grade is suitable for end use applications such as mouldings and picture frame manufacture where a high quality painted finish is required.

Available in the following sizes:

Fingerjoint blanks are skim dressed and may contain minor stepping at the joints. The standard length is 5.4m but other lengths to suit individual customer requirements are available by arrangement.

23.5mm x 100 | 125 | 150 | 200mm

25mm x 100 | 125 | 150, | 200mm

33mm x 100 | 150 | 200mm

38mm x 100 | 150 | 200mm

50mm x 100 | 150 | 200mm

Fingerjoint Clear grade is supplied kiln dried.



Australian Owned, Australian Made, Australian Plantation Timber,







Grown here forever.

Step into a lush, internationally certified planation forest nourished by the Queensland sun and nurtured by careful hands.

Our Araucaria forests have bee intentionally planted to ensure a continuous supply of this uniquely beautiful resource. Thriving in their endemic Queensland environment, these forests stand as a rare gem in a world where plantations can flourish in their natural habitats, complementing the vibrant surrounding ecosystem.

Please refer online at superiorwood.com.au for:

Available from:

- Important information about correct site storage and handling
- Correct installation and finishing guidelines
- FSC Environmental Certification





ARAUCARIA - A WORLD CLASS TIMBER

PO Box 42 Imbil Queensland 4570 Phone 07 5484 3800 Email info@superiorwood.com.au **Superior Wood Job Lot Pick Ups Available from:**Heritage Products Depot

173 Cobalt Street Carole Park 4300 Pick Up Hours 7:00am – 4:00pm